

行业最大的电子样本库

插座网本着“行业专注、用心服务”的理念为用户提供电子样本在线翻阅、在线打印、下载等专业化、个性化服务





湖南省著名商标

HUMEI




Advanced Ground Socket

高级 · 地面插座



公司简介 Brief introduction



湖南梅兰日兰电器有限公司地处我国历史文化古城、美丽的星城—长沙市，是中国质量认证中心首批颁发的“中国国家强制性产品认证证书”的低压电器生产企业，是湖南省研究开发高级·地面插座的重要基地。公司位于长沙市马坡岭占地面积30亩，建筑面积12000m²，现有职工160人，高级工程师11人，技术管理人员27人。

公司生产的高级·地面插座获得了中国建筑电气委员会推荐产品；被长沙市质量监督局颁发：“重质量守信誉”单位“重质量信得过”产品；获得长沙市工商行政管理局颁发的“诚信经营单位”证书；所有产品均被国家质量检测协会检测认定为合格产品；2006年被中国质量万里行审核评为“产品质量、服务质量”双满意单位；2006年“HUMEI”牌商标又被湖南省工商行政管理局为省“著名商标”。

多年来，由于本公司产品功能齐全、性能可靠、价格合理、交货及时、服务周到，赢得了广大顾客的信任和好评。雄厚的技术力量，精湛的检测能力，先进的生产设备，完善的售后服务，为顾客提供了一流的产品质量和完善的售后服务。

本公司生产的高级·地面插座全部由中国质量检验协会编入防伪系统重点保护产品，生产过程中实施有序、有效控制，以赢得广大顾客满意。如您对“HUMEI”产品有疑问时，总可以获得最快的解决方案和最优的售后服务。竭诚与国内新老客户携手合作，共创未来。



企业方针：求实创新、开拓进取、同心敬业。

企业理念：专业制造、精心服务。

企业宗旨：质量立厂、科技兴厂、从严治厂。

企业文化：以人为本，品牌至上。

Hunan Meilanrilan Ele. Appliance Co., Ltd., located in Changsha city--Famous Historical and Cultural City & Star City, is a manufacturer of low voltage apparatuses first gaining "CCC" certificate awarded by China Quality Certification Center, also the important base for research and development of Advanced ground socket in Hunan province. The company is situated at Mapoling, with floor area of 30mu, building area up to 12,000m², 160 employees, 11 senior engineers and 27 technical managers.

Our Advanced ground socket were titled "Products Recommended by China Building Electricity Committee", and "Creditable Products" by Changsha Bureau of Quality and Technical Supervision, all products were appraised as "Conforming Products" by National Quality Inspection and Test Association, and, the company was honored "Units Honoring Quality and Standing by Reputation" by Changsha Bureau of Quality and Technical Supervision and "Trustworthy Units" by Changsha Administration for Industry and Commerce; in 2006, the company was named as "Satisfying Units both in Product Quality and Service Product", meanwhile, the trademark "HUMEI" was considered the "Famous Trademark" by Hunan Administration of Industry and Commerce.


For many years, due to complete product functions, reliable performance, reasonable price, prompt delivery and considerate service, the company has been trusted and praised by many customers. Abundant technical power, high ability of testing, advanced production equipment, perfect after-sale service, all of them enable us to provide customers with high product quality and good reputation.

What's more, all our Advanced ground socket have been listed in the Anti-counterfeit System Special-protection Products by China Association for Quality Inspection. And, the production process and product quality have been given the ordered and efficient control, to meet the customers' requirements. In addition, if you have any problem about "HUMEI" products, we can provide the fastest solutions and the best service. Sincerely look forward to your cooperation, let's create the brilliance hand in hand.




卓越科技实力，追求品质巅峰！

品质意味着高科技的体现，追求品质的巅峰是梅兰日兰一直以来的目标，通过不断的科研实践提高产品性能，在技术上根据GB1002-1996、GB2099.1-1996标准要求，在管理上通过ISO9001国际质量体系认证，并获得多项国家专利局使用新型专利和发明专利等多项国家权威认可证书。

The top quality demonstrates the high technology. The pursuit of the best quality is our long-term goal, in the past, we improved the product performance through continuous scientific practice, developed the technology according to the standards of GB1002-1996 and GB2099.1-1996, and passed ISO9001 international quality system certification, and obtained utility model patent and invention patent awarded by the State Patent Bureau.



诸多荣誉已经代表过去，我们秉承“以人为本”的企业文化，“急客户所急”“想客户所想”，把我们的专业团队理念为客户创造更多的商业价值和人文价值。Numerous honors belong to the past, we embrace the enterprise culture of "People Orientation", concerning what you concern, requesting what you request. We will create more commercial value and humanistic value with our professional team tenet.




踏遍天南地北，成就丰功伟绩！

踏着中国发展的步伐，乐动着在国际的舞台上，梅兰日兰高级·地面插座已在中国各大知名场馆现身。北京2008重大工程、国家体育场、首都机场、中央电视台新楼等地标准建筑中都能看到梅兰日兰的身影。

With the China's development, we stand on the international stage, our Advanced ground socket have appeared in famous stadiums in China. In addition, they have been applied for the standard constructions like Beijing 2008 Major Project, State Stadium, Capital Airport, New building of CCTV, etc..




中央电视台新楼



大连香格里拉



上海交通大学



温州世贸中心



中国农业银行无锡分行

国家体育场
北京东方广场
中关村软件园
首都师范大学
北京儿童医院
北京第二炮兵部队
北京协和医院
北京公安大学
北京东方饭店
北京新世纪商场
北京太平洋百货
北京工人体育馆
北京总部基地
北京工商银行
北京航空航天大学
北京交通大学
沈阳富丽华大酒店
沈阳五里河体育馆
沈阳桃园机场
大连香格里拉大饭店
南京大学留学生宿舍
南京邮电学院
宁波华侨城

中南工大学生公寓
青岛大学
山东国际饭店
沃尔玛超市
上海人民广场
上海华联大厦
上海虹桥机场
深圳广电集团
深圳发展银行
深圳人民医院
贵州省博物馆
秦皇岛海关大楼
广州白云机场
广州天河体育中心
武汉百货商场
无锡锦江大酒店
杭州黄龙体育馆
郑州大学
郑州日报社
石家庄铁道学院
长沙东方新世纪
长沙商联大厦
海口东方广场

海口大厦
岳阳市政府大楼
唐山会展中心
哈尔滨温州商贸城
成都火车站
成都武警水电医院
银川国际饭店
银川招商银行
苏州大学城
西安工商银行
西安医科大学
四川绵阳机场
重庆博物馆
重庆中富大厦
重庆新世纪百货
太原科技大学
山西化工研究院
兰州世纪广场
兰州国芳百盛
一汽大众汽车有限公司
常州中国复合材料基地
中国社会科学院研究生院
中国人民解放军陆良空军机场



清华大学



烟台凤凰山宾馆



沈阳洲际酒店



江苏省中医院




济南军区总医院




上海南城




无锡中国饭店




重庆海逸酒店



重庆大学




北京新世纪商场



青岛大学



杭州第二人民医院



武汉新世界百货商场



福州西湖大酒店



成都总府皇冠假日酒店



湖南省中医院



苏州江苏银行




厦门中山医院



兰州兰大科技广场




北京军事博物馆



首都机场



郑州大学教学区



山东明珠怡和国际酒店



LXDC-8TQ

POP-UP type ground socket

弹起式/地面插座

材质: 铜合金、不锈钢
Material: Copper alloy, Stainless steel



不锈钢 Stainless steel
123X120mm



铜合金 Copper alloy
123X120mm





不锈钢 Stainless steel
123X120mm

说明: 功能件可任意组合
Note: The functional part is combined randomly

产品特点 Product characteristic

- 全新的弧形设计, 表面光彩夺目, 高贵呈现;
- 国内首款由专业平面设计师精心设计而成;
- 二项国家专利更显示产品的技术力量和专业化水准。
- Brand new arc design, nice and noble appearance;
- It is the first product elaborated by the professional plane designer at home;
- Two national patents further demonstrate product technical power and professional level.



LXDC-8T

POP-UP type ground socket

弹起式/地面插座



材质: 铜合金、镍合金、铝合金
Material: Copper alloy, Nickel alloy and Al alloy



铜合金 Copper alloy
120X120mm



镍合金 Nickel alloy
120X120mm



铝合金 Al alloy
120X120mm



铜合金 Copper alloy
120X120mm



铜合金 Copper alloy
120X120mm




铜合金 Copper alloy
120X120mm

说明: 功能件可任意组合
Note: The functional part is combined randomly

产品特点 Product characteristic

- 全新的下拆结构, 更加方便换装功能件。
- 可选用螺纹压线端子, 适合6mm²以下任何导线。
- 二代大板设计更显产品美观, 突破传统设计理念, 引领时尚。
- The original lower disassembling structure takes more convenience to mount and dismount the functional parts;
- Threaded crimping terminal is available for any conductor less than 6mm²;
- The 2nd generation design further shows the attractive appearance, with a breakthrough in the traditional design concept, and leading the fashion.




LXDC-10T

POP-UP type ground socket

弹起式/地面插座

材质: 铜合金、铝合金
Material: Copper alloy, Al alloy



产品特点

Product characteristic

- 表面均匀细质, 色调光泽;
- 手工精心雕琢, 体现产品价值;
- 可选用螺纹压线端子, 适合6mm²以下任何导线。
- Uniform and delicate surface and bright color;
- Well-connected hand-made structure, demonstrating the value of product;
- Thread crimping terminal is available for any conductor less than 6mm².

说明: 功能件可任意组合
Note: The functional part is combined randomly

LXDC-8IT

POP-UP type ground socket

弹起式/地面插座

材质: 铜合金、铝合金
Material: Copper alloy, Al alloy

产品特点

Product characteristic

- 双连结构, 适合强、弱电一起安装;
- 可安装各式功能件;
- 下拆结构可方便换装功能件。
- Double-gang structure, suitable for connection of both high current and low current;
- Various types of functional parts are mountable;
- The lower disassembling structure, taking more convenience to mount and dismount the functional parts.

说明: 功能件可任意组合
Note: The functional part is combined randomly






LXDC-123T

Ultrathin type ground socket

超薄式/地面插座

材质: 铜合金、不锈钢
Material: Copper alloy, Stainless steel



铜合金 Copper alloy
123X123mm



不锈钢 Stainless steel
123X123mm




铜合金 Copper alloy
123X123mm

说明: 功能件可任意组合
Note: The functional part is combined randomly

产品特点 Product characteristic

- 超薄设计, 引领时尚;
- 表面无缝设计, 灰尘及杂物不易进入, 封盖严密;
- 多位功能件安装, 满足客户多功能安装位集中性的要求。
- Ultra-thin design, leading the fashion;
- Surface seamless design and tight cover, preventing the dust and impurities entering into;
- Installation of multi-position functional parts, meeting the customers' requirements of centralization of multifunctional-mounting positions.



LXDC-123TA

Ultrathin type ground socket

超薄式/地面插座

材质: 铜合金、不锈钢
Material: Copper alloy, Stainless steel




铜合金 Copper alloy
123X75mm



不锈钢 Stainless steel
123X75mm

说明: 功能件可任意组合
Note: The functional part is combined randomly






LXDC-11Y

Hidden type ground socket

隐藏式/地面插座

材质: 铜合金、不锈钢
Material: Copper alloy, Stainless steel



不锈钢 Stainless steel
120X120mm



铜合金 Copper alloy
120X120mm




不锈钢 Stainless steel
120X120mm

说明: 功能件可任意组合
Note: The functional part is combined randomly

产品特点 Product characteristic


- 安全设计, 注重环保, 二项国家专利设计;
- 隐藏式双保护门, 使用时用手轻轻向两边箭头处边上按下打开;
- 盖片惯性滑落到功能件两端的插槽。
- Safety design, paying attention to environmental protection, and design of two national patents;
- Hidden double-protection door, which is opened only just slightly pressing the switch near the arrows on both sides;
- The cover plate, due to inertia, can slip to the slot at both ends of functional part.



LXDC-120K

Open type ground socket

开启式/地面插座



材质: 铜合金、不锈钢
Material: Copper alloy, Stainless steel



不锈钢 Stainless steel
120X120mm



铜合金 Copper alloy
120X120mm




不锈钢 Stainless steel
120X120mm

说明: 功能件可任意组合
Note: The functional part is combined randomly

产品特点 Product characteristic

- 纯平表面更显产品档次;
- 插入插头可连同插头盖好上盖, 只留出线口出插头线, 方便通行及清扫。
- Full-flat surface, further proving the class of products;
- It is available to insert the plug and fasten the upper cover with plug, only the outgoing plug line at the outlet, therefore, it is very convenient for passing and cleaning.



LXDC-146K

Open type ground socket

开启式/地面插座

材质: 铜合金、不锈钢
Material: Copper alloy, Stainless steel



不锈钢 Stainless steel
146X146mm



铜合金 Copper alloy
146X146mm




不锈钢 Stainless steel
146X146mm

说明: 功能件可任意组合
Note: The functional parts can be combined randomly

产品特点 Product characteristic

- 纯平表面更显产品档次;
- 多位功能件的选择, 方便客户对强弱电的需求;
- 插入插头可连同插头盖好上盖, 只留出线口出插头线, 方便通行及清扫。
- UII-flat surface, further proving the class of products;
- Multi-position functional parts, meeting the customers' requirements of high and low current;
- It is available to insert the plug and fasten the upper cover with plug, only the outgoing plug line at the outlet, therefore, it is very convenient for passing and cleaning.



LXDC-180K

Open type ground socket

开启式/地面插座




材质: 铜合金、不锈钢
Material: Copper alloy, Stainless steel



不锈钢 Stainless steel
180X146mm



铜合金 Copper alloy
180X146mm




不锈钢 Stainless steel
180X146mm


说明: 功能件可任意组合
Note: The functional part is combined randomly

产品特点 Product characteristic

- 纯平表面更显产品档次;
- 多位功能件的选择, 方便客户对强弱电的需求;
- 插入插头可连同插头盖好上盖, 只留出线口出插头线, 方便通行及清扫。
- Ull-flat surface, further proving the class of products;
- Multi-position functional parts, meeting the customers' requirements of high and low current;
- It is available to insert the plug and fasten the upper cover with plug, only the outgoing plug line at the outlet, therefore, it is very convenient for passing and cleaning.




材质: 铜合金、不锈钢
Material: Copper alloy, Stainless steel



说明: 功能件可任意组合
Note: The functional part is combined randomly

- ◎ 纯平表面更显产品档次;
- ◎ 双开连体设计, 满足客户对强弱电大量使用的需求;
- ◎ 插入插头可连同插头盖好上盖, 只留出线口出插头线, 方便通行及清扫。
- ◎ Full-flat surface, further proving the class of products;
- ◎ Double-open gang design, meeting the demands of much high and low current;
- ◎ It is available to insert the plug and fasten the upper cover with plug, only the outgoing plug line at the outlet, therefore, it is very convenient for passing and cleaning.



LXDC-110L

Spiral type ground socket

螺旋式/地面插座



材质: 铜合金
Material: Copper alloy



铜合金 Copper alloy
110X110mm




铜合金 Copper alloy
110X110mm

说明: 功能件可任意组合
Note: The functional part is combined randomly

产品特点 Product characteristic

- 开启非常方便;
- 真正能防水的地面插座, 是安装强弱电的最佳选择;
- 带水平微调增高装置, 不会因底盒预埋歪斜或过深而造成不能安装表面铜盖。
- Very convenience in turning on;
- Real waterproof floor socket is the best choice for putting through the strong and weak electricity;
- With horizontally fine tuning heighten device, it make it easy for mounting of surface copper cover, let it unaffected by defective or too deep pre-buried bottom box.



LXDC-9Z

Table socket

桌面插座



材质: 铝合金
Material: Al alloy




铝合金 AL alloy
130X266mm

说明: 功能件可任意组合
Note: The functional part is combined randomly


产品特点 Product characteristic

- 高档办公桌、会议桌配用的最佳配置(多媒体功能连接件配置);
- 扣位部位采用独特的自锁式设计, 弹起部位采用阻力设计, 打开时呈缓慢打开状态;
- 可根据桌面的搭配做成各种颜色。
- Best configuration for top grade desks and conference tables (functional connector configuration of multimedia);
- Adoption of unique autolocking design for buckling part, and resistance design for bouncing part, enable it to open slowly when opening;
- The surface can be made into various colors to match the dektop.




功能件组装示意图 Schematic diagram of assembling of functional parts


LXDC-T系列



T01 一位二插
一位三插多功能




T02 一位二插
一位三相四线16A



T03 一位二插
一位电话
一位电脑



T04 一位小三插
一位卡农
一位15芯电脑(孔式)




T05 一位电话
一位电脑



T06 一位电话
二位电脑



T07 一位电视
一位电话
一位电脑



T08 一位话筒
一位音响
一位音响



T09 二位卡农(孔式)
二位6.35话筒



T10 一位卡农(孔式)
三位音频、视频
二位6.35话筒




T11 一位15芯电脑(针式)
二位6.35话筒
三位音频、视频




T12 一位音频
一位视频
四位6.35话筒

LXDC-K系列




K01 一位二插
一位三插




K02 一位二插
一位三插多功能




K03 一位电脑
一位三插多功能



K04 一位电话
二位电脑




K05 一位话筒
一位音响
一位15芯电脑(针式)



K06 一位电话
一位电脑




K07 一位电话插
一位三插多功能




K08 二位三插多功能




K09 一位话筒
一位音响




K10 一位音频
一位15芯电脑(孔式)




K11 二位二插
二位三插




K12 三位电话
一位二插
一位三插多功能




K13 三位电话
三位电脑




K14 一位二插
一位三插
二位三插多功能




K15 三位电脑
二位三插多功能




K16 一位电话
一位电脑
二位三插多功能




K17 一位话筒、视频
一位音频、音频



K18 四位三插多功能



K19 六位三插多功能



K20 二位电话、三位电脑
一位二插、二位三插

功能件选型 Type selection of Functional parts

120型功能件 (23 × 28mm)



118型功能件 (36 × 36mm)



大板(松下)型 (23 × 36mm)



其他配套模板





梅兰日兰®

均为本公司注册商标



Aosens™

工程专用插座

产品名称: 高级地面专用插座

规格型号: HUMEI

额定参数: MAX 10A-25A/250V~
50Hz/60Hz

质检员: 109

检验合格



20090320-317

MADE BY AOSENS

北京奥盛创新科技有限公司

Beijing Aosens Innovation and Technology Co., Ltd.

TEL: 86-010-51281662 51281692 <http://www.Aosens.com>



• 请确保电源前端接地正常
• 非专业人士请勿拆卸

• HIGH LEAKAGE CURRENT
Earth connection is essential
• Please do not open the
equipment without professional
engineer help.

代理商:

电子样本

www.chazuo.com