

STE[®] 三泰电气

CE CCC PICC

- PLUG
- SOCKET
- CONNECTOR



用于全世界的接插连接装置

INDUSTRIAL INTERCONNECTIONG
DEVICES SUITABLE FOR
THE WHOLE WORLD

乐清市三泰电气有限公司

YUEQINGSHI STE ELECTRIC CO.,LTD.



公司简介 COMPANY BRIEF

三泰电气有限公司，座落在中国“电器之都”柳市长丰工业区内，地处东海之滨，南靠七里港区3公里，北有国家重点级风景区——雁荡山，距温州机场、火车站30公里，毗邻甬台温高速公路和104国道，交通十分便利。

本公司引进国外先进技术和管埋，专业生产国际通用型工业用插头、插座和耦合器（连接器）、新型组合箱和配电装置，包括带机械联锁开关的插座箱、带保护器插座箱、移动电源、便携式配电装置等产品。引进先进检测设备，具备一流生产工艺，严格实施质量体制，不断引进技术人才和管理人才，是一家集研究、开发、生产、销售为一体的现代企业。

本公司坚持以一流的产品、一流的服务、合理的价格，以诚信为本，与您真诚合作，共创辉煌。

STE electrical Co.,Ltd locates in the "Capital of low voltage electronic products" -Changfeng industrial zone,Liushi,Wenzhou,Zhejiang,China,which sits at the bank of the East sea,south to the Qili port,west to the National beauty spot-Yandang Mountain.It is 30KM away from the Airport or Railway station,close to the Yongtaiwen Expressway and 104National Road.It is very convenient in traffic.

Our company is specialized in producing international common type industrial plug,socket and coupler(connector),new type of combined box and distribution equipment,including plug box with mechanical snap-locks switch,plug box with protector and other products through introducing the advanced Technology and management experience from foreign countries,We are a modernization enterprise which gathers researching,developing producing and selling as unit,continuously introduces senior technical,personnel and advanced checkout equipment.

We will be very glad to neter business relationship with u through insisting on the topquality, first class service and reasonable price to build a splendid future!



科技缔造完美

品质创造传奇

Guangzhou Testing & Inspection Institute
for Household Electrical Appliances
204, Xingang West Road, Guangzhou, 510300, P. R. China
http://www.gtihea.com E-mail: gtihea@gtihea.com



GTIHEA Certificate of Compliance

No. LVD03-254

About the Low Voltage Directive 73/23/EEC
as last amended by EEC Directive 93/68/EEC

The applicant:

YUE QING SANTAI ELECTRIC CO., LTD.
YUEDU ROAD, CHANGFENG INDUSTRIAL AREA, LIUSHI, YUEQING,
ZHENJIANG, 325600, P. R. CHINA

has successfully demonstrated that its:

Product : Industrial Plug
Trade Mark : STE
Model/Type : ST-015 16A-6h/415V ~ 3P, ST-014 16A-6h/415V ~ 4P
ST-013 16A-6h/240V ~ 3P

Rated Specification: IP44

is complied with: EN 60309-1:1997; EN60309-2:1997

Referred to the Technical Report: RZLVD2003-0075

This certificate of conformity is based on an evaluation of a tested sample of the product mentioned above. It does not imply assessment of series-production of the product. The applicant should hold the whole technical report at the disposal of the competent authority. Provided it is also confirmed with any other EU directives, the manufacturer as an authorized European representative may draw up an EC Declaration of Conformity and affix the CE mark shown below to each conforming product.



Yang Chunrong
Vice Director of GTIHEA
Date of Issue: Sep. 8, 2003



中国国家强制性产品认证证书

证书编号: 2003010203047989

申请人名称及地址

乐清市三泰电气有限公司
浙江乐清柳市长丰工业区月波路

商标:

制造商名称及地址

乐清市三泰电气有限公司
浙江乐清柳市长丰工业区月波路

生产企业名称及地址

乐清市三泰电气有限公司
浙江乐清柳市长丰工业区月波路

产品名称和系列、规格、型号

工业用插头
ST-013 16A-6h/240V ~ 3P IP44, ST-014 16A-6h/415V ~ 4P IP44, ST-015 16A-6h/415V ~ 3P IP44

产品标准和技术要求

GB/T1918-2001/GB/T1919-2001

上述产品符合强制性产品认证实施规则的要求, 特发此证。

发证日期: 2003年5月26日

本证书的有效性依据发证机构的定期监督获得保持



主任:

李怀林



中国·北京·朝阳区芳草地西街15号 100020 网址: www.cqc.org.cn

A-0055033



第 3274416 号



商标注册证

STE

核定使用商品(第9类)

电站自动化装置; 计量仪表; 信号灯; 电焊设备; 电子防盗装置; 电解装置; 电动开门器(商品截止)

注册人 乐清市三泰电气有限公司

注册地址 浙江省乐清市柳市长丰工业区

注册有效期限 自公元2004年03月21日至2014年03月20日止

局长签发

安青虎



海纳百川, 奔涌向前
三泰人正以无比热情
协力, 奉献的追求精
神创造更美好的未来。

产品概述

product summarize

STE牌工业用插头、插座和 合器(连接器)等系列产品是我公司的主导产品,是浙江省首家通过中国质量认证中心CCC认证并获得欧共体CE安全认证和通过LVD电压指令严格测试,按照IEC60309, EN60309, CEE17等国际标准和GB11918-19国家标准生产。这类产品在国际上已得到普遍使用与推广。

工业用插头、插座、电缆 合器和器具插座(以下简称电器附件),其额定电压交流不超过660V,直流不超过440V,额定电流不超过125A,额定频率不超过50/60Hz,使用环境为温度-25~+40℃的无腐蚀和爆炸性气体及导电尘埃的地方。该产品具有防尘、防水、防溅、防腐、防误插、防脱落、阻燃耐高温抗老化等许多优越特性,产品主要接触部件由H59-1铜材制成,铜套具有弹簧紧箍功能、保证接触紧密导电性优点,外壳颜色表示使用不同的电压和频率,不同的接头位置,直径、极数不相同而防止误插。设计防脱落装置,使连接更稳定、接插便捷,可以稳定于较低或较高温度的室内外工作环境使用。本产品并与国际上其它生产厂商的同类型号的元器件兼容互配。是完全代替电动机插头、插座的新型接插装置。

STE牌工业用插头、插座、 合器,16A和32A系列产品的防护等级为Ip44,防尘、防水防溅。63A、125A系列产品的防护等级为Ip67,防尘、防水浸,适用于各种不同的室内外自然条件。

STE牌工业用插头、插座、 合器(连接器)系列主要用于:钢铁冶炼、石油化工、电力、电子、铁路、建筑工地、机场、矿山、采矿场、给排水及污水处理厂,以及港口、码头、商场、宾馆、港口码头、皮鞋、服装流水线等各类工矿企业,和国外引进设备的电源,接插件的配套和维修备件。是新一代理想电源接插装置。STE系列产品以可靠的质量,优质的服务将给您带来更好的安全用电保障。

The series products of STE brand industrial plug,socket and coupler(connector)are the dominant products of our company.It is the first one to pass CCC certification of China Compulsory Certificate in Zhejiang,and gained CE safety certificate of CEE,meanwhile,our products have passed the strict LVD voltage instruction test.And our product are produced according to the international standards IEC60309, EN60309 and National standard of GB11918-19. All products have won a great reputaiton in the intcrnational market.

The industrial plug,socket,cable connector and utensil socket (hereinafter briefly call clcctric acccssorcs),which is used in the place of no corrosive and explosivc gas with the rated voltage no more than 660V,DC no more than 440V,rated current no more than 125A,rated frequency no more than 50/60 Hz,environment temperature with -25~+40℃. The product are provided with many advantageous characteristics of dustproof,waterproof,sprayproof,anti-misplug,and resistance dropout,firc resistanfe and so on.The main connecting parts of the product are made of H959-1 copper product.The power sleeve barrel has spring tightening ring function to ensure compact connection and excellent electrical conductivity.The casing color indicates the different voltage,frequencyused connection position,diameter and poles number in order to avoid misplugging .The resistance dropout device the designed to make connection more stable,it can be used in indoor or outdoor working environment of higher & lower temperature.The product are suitable to match with the same model components of other manufacturers in the world.It is new plugging device of completely replacement the plug and socket of electric motor.

The STE brand series industrial plug,socket,coupler(connector)are mainly used in:steel smelting, petrochemical industry,electrical power,electric,railroad,building ground,air port&jetty,mine,stope,water supply and sewerage work, marketplace,hotel,and so on.It is for maintenance service spares of the advanced power supply and plugging sets from foreign countries is a new generation and ideal supply plugging device.

The STE series of products16A&32A have the protcction class IP 44,which are the dustproof and sprayproof 'the scrics of 63A with a protction class Ip67,it is also dustproof and resistance water immersion, it is suitable for using in various indoor and outdoor conditions.STE series products will bring better and safer power utilizeation and guarantee you with relicable quality and perfect service.

16A、32A 工业用插头 Industrial plug

	型号 Code: $\frac{ST-013-4}{ST-023-4}$ 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 110-130V~ 极数 No.poles: 2P+⊕ 防护等级 Protection degree: IP44	
	型号 Code: $\frac{ST-013}{ST-023}$ 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕ 防护等级 Protection degree: IP44	
	型号 Code: $\frac{ST-014}{ST-024}$ 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 380-415V~ 极数 No.poles: 3P+⊕ 防护等级 Protection degree: IP44	
	型号 Code: $\frac{ST-015}{ST-025}$ 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕ 防护等级 Protection degree: IP44	

16A、32A 电缆保护套插头 Cable sheath plug



	型号 Code: $\frac{ST-013L-4}{ST-023L-4}$ 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 110-130V~ 极数 No.poles: 2P+⊕ 防护等级 Protection degree: IP44	
	型号 Code: $\frac{ST-013L}{ST-023L}$ 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕ 防护等级 Protection degree: IP44	

	型号 Code: ST-014L ST-024L 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 380-415V~ 极数 No.poles: 3P+⊕ 防护等级 Protection degree: IP44	
	型号 Code: ST-015L ST-025L 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕ 防护等级 Protection degree: IP44	

63A、125A 插头 63A、125A Plug



	型号 Code: ST-033 ST-043 电流 Nominal current(A): $\frac{63A}{125A}$ 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕ 防护等级 Protection degree: IP67	
	型号 Code: ST-034 ST-044 电流 Nominal current(A): $\frac{63A}{125A}$ 电压 Nominal voltage(V): 380-415V~ 极数 No.poles: 3P+⊕ 防护等级 Protection degree: IP67	
	型号 Code: ST-035 ST-045 电流 Nominal current(A): $\frac{63A}{125A}$ 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕ 防护等级 Protection degree: IP67	

16A、32A 工业用明装插座 Industrial plug


	型号 Code: $\frac{ST-113-4}{ST-123-4}$ 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 110-130V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP44	
	型号 Code: $\frac{ST-113}{ST-123}$ 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP44	
	型号 Code: $\frac{ST-114}{ST-124}$ 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 380-415V~ 极数 No.poles: 3P+⊕  防护等级 Protection degree: IP44	
	型号 Code: $\frac{ST-115}{ST-125}$ 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕  防护等级 Protection degree: IP44	

16A、32A 电缆保护套插座 Cable sheath socket

	型号 Code: $\frac{ST-113L-4}{ST-123L-4}$ 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 110-130V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP44	
---	--	--





	型号 Code: <u>ST-113L</u> ST-123L 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP44	
	型号 Code: <u>ST-114L</u> ST-124L 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 380-415V~ 极数 No.poles: 3P+⊕  防护等级 Protection degree: IP44	
	型号 Code: <u>ST-115L</u> ST-125L 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕  防护等级 Protection degree: IP44	

63A、125A 插座 63A、125A Socket



	型号 Code: <u>ST-133</u> ST-143 电流 Nominal current(A): $\frac{63A}{125A}$ 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP67	
	型号 Code: <u>ST-134</u> ST-144 电流 Nominal current(A): $\frac{63A}{125A}$ 电压 Nominal voltage(V): 380-415V~ 极数 No.poles: 3P+⊕  防护等级 Protection degree: IP67	

	型号 Code: <u>ST-135</u> <u>ST-145</u> 电流 Nominal current(A): $\frac{63A}{125A}$ 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕  防护等级 Protection degree: IP67	
---	--	--

16A、32A 工业用连接器 Industrial connector



	型号 Code: <u>ST-213-4</u> <u>ST-223-4</u> 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 110-130V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP44	
	型号 Code: <u>ST-213</u> <u>ST-223</u> 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP44	
	型号 Code: <u>ST-214</u> <u>ST-224</u> 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 380-415V~ 极数 No.poles: 3P+⊕  防护等级 Protection degree: IP44	
	型号 Code: <u>ST-215</u> <u>ST-225</u> 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕  防护等级 Protection degree: IP44	

16A、32A 电缆保护套插头 Cable sheath plug




	型号 Code: ST-213L-4 ST-223L-4 电流 Nominal current(A): 16A 32A 电压 Nominal voltage(V): 110-130V~ 极数 No.poles: 2P+⊕⊖ 防护等级 Protection degree: IP44	
	型号 Code: ST-213L ST-223L 电流 Nominal current(A): 16A 32A 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕⊖ 防护等级 Protection degree: IP44	
	型号 Code: ST-214L ST-224L 电流 Nominal current(A): 16A 32A 电压 Nominal voltage(V): 380-415V~ 极数 No.poles: 3P+⊕⊖ 防护等级 Protection degree: IP44	
	型号 Code: ST-215L ST-225L 电流 Nominal current(A): 16A 32A 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕⊖ 防护等级 Protection degree: IP44	

63A、125A 连接器 63A、125A connector




	型号 Code: ST-233 ST-243 电流 Nominal current(A): 63A 125A 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕⊖ 防护等级 Protection degree: IP67	
---	--	--

	型号 Code: ST-234 ST-244 电流 Nominal current(A): $\frac{63A}{125A}$ 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕  防护等级 Protection degree: IP67	
	型号 Code: ST-235 ST-245 电流 Nominal current(A): $\frac{63A}{125A}$ 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕  防护等级 Protection degree: IP67	


工业用暗装直座 Hide direct socket

	型号 Code: ST-313-4 ST-323-4 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 110-130V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP44	
	型号 Code: ST-313 ST-323 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP44	
	型号 Code: ST-314 ST-324 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 380-415V~ 极数 No.poles: 3P+⊕  防护等级 Protection degree: IP44	
	型号 Code: ST-315 ST-325 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕  防护等级 Protection degree: IP44	

63A、125A 暗装直座 63A、125A Hide direct socket

	型号 Code: <u>ST-333</u> ST-343 电流 Nominal current(A): $\frac{63A}{125A}$ 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP67	
	型号 Code: <u>ST-334</u> ST-344 电流 Nominal current(A): $\frac{63A}{125A}$ 电压 Nominal voltage(V): 380-415V~ 极数 No.poles: 3P+⊕  防护等级 Protection degree: IP67	
	型号 Code: <u>ST-335</u> ST-345 电流 Nominal current(A): $\frac{63A}{125A}$ 电压 Nominal voltage(V): 220-415V~ 极数 No.poles: 3P+N+⊕  防护等级 Protection degree: IP67	

工业用暗装斜装座 Hide inclined socket


	型号 Code: <u>ST-413-4</u> ST-423-4 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 110-130V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP44	
	型号 Code: <u>ST-413</u> ST-423 电流 Nominal current(A): $\frac{16A}{32A}$ 电压 Nominal voltage(V): 220-240V~ 极数 No.poles: 2P+⊕  防护等级 Protection degree: IP44	



型号 Code: ST-414
ST-424
电流 Nominal current(A): 16A
32A
电压 Nominal voltage(V): 380-415V~
极数 No.poles: 3P+⊕
防护等级 Protection degree: IP44



型号 Code: ST-415
ST-425
电流 Nominal current(A): 16A
32A
电压 Nominal voltage(V): 220-415V~
极数 No.poles: 3P+N+⊕
防护等级 Protection degree: IP44



16A、32A 暗装直座 16A、32A Hide direct socket




型号 Code: ST-513
ST-523
电流 Nominal current(A): 16A
32A
电压 Nominal voltage(V): 220-240V~
极数 No.poles: 2P+⊕
防护等级 Protection degree: IP44




型号 Code: ST-514
ST-524
电流 Nominal current(A): 16A
32A
电压 Nominal voltage(V): 380-415V~
极数 No.poles: 3P+⊕
防护等级 Protection degree: IP44




型号 Code: ST-515
ST-525
电流 Nominal current(A): 16A
32A
电压 Nominal voltage(V): 220-415V~
极数 No.poles: 3P+N+⊕
防护等级 Protection degree: IP44





二级带保护插头 Two-pole protection plug

	型号 Code:ST105/02HP 电流 Nominal current(A):16A 电压 Nominal voltage(V):220-240V~ 极数 No.poles: 2P+⊕ 防护等级 Protection degree:IP44	
---	---	---


二级带保护耦合器 Two-pole protection coupler

	型号 Code:ST105/02HC 电流 Nominal current(A):16A 电压 Nominal voltage(V):220-240V~ 极数 No.poles: 2P+⊕ 防护等级 Protection degree:IP44	
--	---	--



二级带保护明装插座 Two-pole protection coupler

	型号 Code:ST-105/02HO 电流 Nominal current(A):16A 电压 Nominal voltage(V):220-240V~ 极数 No.poles: 2P+⊕ 防护等级 Protection degree:IP44	
---	--	---

二级暗装插座 Two-pole inside socket

	型号 Code:ST-105/02H 电流 Nominal current(A):16A 电压 Nominal voltage(V):220-240V~ 极数 No.poles: 2P+⊕ 防护等级 Protection degree:IP44	
---	---	---

二级暗装插座 Two-pole inside straight socket

	型号 Code:ST-105/102H 电流 Nominal current(A):16A 电压 Nominal voltage(V):220-240V~ 极数 No.poles: 2P+⊕ 防护等级 Protection degree:IP44	
---	--	---




四级插头、插座 Four poles plug、socket

	型号 Code: ST-164P ST-164S 电流 Nominal current(A):16A 电压 Nominal voltage(V):380V 极数 No.poles: 3P+⊕ 防护等级 Protection degree:IP44	
--	--	--


橡胶防水插头 Latex plug

	型号 Code:ST-103P,ST-203P 电流 Nominal current(A): 10A、16A 电压 Nominal voltage(V):220-250V~ 极数 No.poles: 2P+⊕ 防护等级 Protection degree:IP44	
	型号 Code:ST-104P, ST-204P, ST-404P,ST-804P 电流 Nominal current(A):16A,25A, 40A,80A 电压 Nominal voltage(V):380-415V~ 极数 No.poles: 3P+⊕ 防护等级 Protection degree:IP44	
	型号 Code:ST-105P,ST-205P,ST-405P, ST-805P 电流 Nominal current(A):16A,25A, 40A,80A 电压 Nominal voltage(V):220-415V~ 极数 No.poles: 3P+N+⊕ 防护等级 Protection degree:IP44	

橡胶防水插座 Latex socket

	型号 Code:ST-103S, ST-203S 电流 Nominal current(A): 10A, 16A 电压 Nominal voltage(V):220-250V~ 极数 No.poles:2P+⊕ 防护等级 Protection degree:IP44	
	型号 Code:ST-104S,ST-204S, ST-404S,ST-804S 电流 Nominal current(A):16A,25A, 40A,80A 电压 Nominal voltage(V):380-415 V~ 极数 No.poles:3P+⊕ 防护等级 Protection degree:IP44	
	型号 Code:ST-105S,ST-205S, ST-405S,ST-805S 电流 Nominal current(A):16A,25A, 40A,80A 电压 Nominal voltage(V):220-415V~ 极数 No.poles:3P+N+⊕ 防护等级 Protection degree:IP44	

开关连接器 Switching Connector




ST-1213



ST-1313

型号 Code	输入 Input	输出 Output
ST-1213	1Plug 10~16A 250V 2P+⊕	1Connector 16A 250V 2P+⊕
ST-1313	1Plug with fuse 13A 250V 2P+⊕	1Connector 16A 250V 2P+⊕


多功能插座 Multiple-outlet sockets for industrial use



型号 Code	a	b	输入 Input	1 Plug	16A 250V 2P+⊕	防护等级 Protection Degree
ST-1013	220	227	输出 3 Output	3 Sockets	16A 250V 2P+⊕	Ip44



型号 Code	a	b	输入 Input	1 Plug	16A 250V 2P+⊕	防护等级 Protection Degree
ST-1012	220	227	输出 2 Output	2 Sockets	16A 250V 2P+⊕	Ip44
ST-1014	220	227	输出 3 Output	3 Sockets	16A 250V 3P+⊕	Ip44



多功能插座 Multiple-outlet sockets for industrial use


型号 Code	输入 Input	输出 Output	防护等级 Protection degree
ST-1605	1 CEE Plug 16A 415V 3P+N+⊕	3 Sockets 10A/16A 240V 2P+⊕ 1 CEE Sockets 16A 415V 3P+N+⊕	IP44

建筑工地配电箱 Distribution boxes




GPX-1

不带保护的插座箱
Socket outlets without protection device
四个插座任意组合
Connect with four sockets freely




GPX-2

带过载保护的插座箱
Socket outlets with overloading protection
二个插座任意组合
Connect with two sockets freely




GPX-3

带漏电和过载保护的插座箱
Socket outlets with overloading protection
二个插座任意组合
Connect with two sockets freely



GPX-4/5

带漏电和过载保护的插座箱
Socket outlets with overloading protection
二个插座任意组合
Connect with two sockets freely



技术参数 Technical Data

额定电压 Rated voltage: AC: 24, 42, 110, 127, 220, 240, 380, 415, 660V DC: 24, 110, 220, 440V
 额定电流 Rated current: 16, 32, 63A
 额定频率 Rated frequency: 50~60Hz
 极数 Plaguy: 1P+E(2极two poles), 2P+E(3极three poles), 3P+E(4极four poles), 3P+N+E(5极five poles)
 接地触头位置定位按时钟的钟点位置分1-12个位置。Earth contact place: time as clock set 1-12
 防护等级 Safety grade: IP44, IP55, IP67

型号含义 Model signification

ST A B C D E h / F G

电源性质 Power Property

额定电压 Rated voltage

接地触头位置符号(常用型 "6h") Earth contact place symbol(Regular model "6h")

派生型号 "L" 带电缆保护套
 "P" 带电缆固定螺栓
 "T" 带防尘器

"L" prtective sheath with power supply
 "P" Fixed bolt with power supply
 "T" With dust remover

极数 2, 3, 4, 5

Pole 2, 3, 4, 5

额定电流 "1" = 16A "2" = 32A

"3" = 63A Rated current "1" = 16A "2" = 32A "3" = 63A

型号(见附表)

Mode(see annexed table)

三泰电气

STE ELECTRIC

型号代号 Mode code	说 明	Description
0	插头	Plug
1	插座	Socket
2	连接器	Connector
3	暗装直座	Hide direct socket
4	暗装斜座	Hide inclined socket
5	器具插座	Apparatus socket
6	安全插座带漏电开关	Safety socket with creepage switch
7	斜式器具插头	Inlined apparatus plug
8	直角插头	Right-angle plug
900	双极线孔	Doubl-enter poles
105/02HP	欧式插头	Europe continent type plug
105/02HC	欧式插座(后接线)	Europe type connector
105/02HO	欧式插座带密封圈	Europe type socket with airpro of circle

插头 Plug						插座 Socket					合器 Conector				
	Type	Code	a	b	φ	Type	Code	a	b	Pg	Type	Code	a	b	φ
16A	2P+⊕	ST-013(-4)	122	59	6	2P+⊕	ST-113(-4)	131	88	21	2P+⊕	ST-213(-4)	131	70	6
	3P+⊕	ST-014	122	65	6	3P+⊕	ST-114	132	91	21	3P+⊕	ST-214	130	76	6
	3P+N+⊕	ST-015	130	72	8	3P+N+⊕	ST-115	132	98	21	3P+N+⊕	ST-215	144	85	8
32A	2P+⊕	ST-023(-4)	139	75	8	2P+⊕	ST-123(-4)	149	100	21	2P+⊕	ST-223(-4)	152	88	8
	3P+⊕	ST-024	139	75	8	3P+⊕	ST-124	149	100	21	3P+⊕	ST-224	150	88	8
	3P+N+⊕	ST-025	143	84	8	3P+N+⊕	ST-125	151	104	21	3P+N+⊕	ST-225	159	102	8
16A	2P+⊕	ST-013L(-4)	141	59	8	2P+⊕	ST-113L(-4)	139	94	21	2P+⊕	ST-213L(-4)	150	70	8
	3P+⊕	ST-014L	141	65	8	3P+⊕	ST-114L	140	97	21	3P+⊕	ST-214L	149	78	8
	3P+N+⊕	ST-015L	169	72	10	3P+N+⊕	ST-115L	140	104	21	3P+N+⊕	ST-215L	179	92	10
32A	2P+⊕	ST-023L(-4)	178	75	10	2P+⊕	ST-123L(-4)	157	106	21	2P+⊕	ST-223L(-4)	189	92	10
	3P+⊕	ST-024L	178	75	10	3P+⊕	ST-124L	157	106	21	3P+⊕	ST-224L	189	92	10
	3P+N+⊕	ST-025L	181	84	10	3P+N+⊕	ST-125L	158	110	21	3P+N+⊕	ST-225L	193	102	10
63A	Type	Code	a	b	Pg	Type	Code	a	b	Pg	Type	Code	a	b	Pg
	2P+⊕	ST-033	230	109	36	2P+⊕	ST-133	270	130	29	2P+⊕	ST-233	240	112	36
	3P+⊕	ST-034	230	109	36	3P+⊕	ST-134	270	130	29	3P+⊕	ST-234	240	112	36
	3P+N+⊕	ST-035	230	109	36	3P+N+⊕	ST-135	270	130	29	3P+N+⊕	ST-235	240	112	36

Sloping pannel socket									
Type	Code	a	b	c	d	e	f	g	
16A	2P+⊕	ST-313(-4)	71	71	57	57	30	47	50
	3P+⊕	ST-314	71	71	57	57	25	51	43
	3P+N+⊕	ST-315	71	71	57	57	27	50	55
32A	2P+⊕	ST-323(-4)	71	71	57	57	29	61	55
	3P+⊕	ST-324	71	71	57	57	29	61	55
	3P+N+⊕	ST-325	71	71	57	57	29	61	60
63A	2P+⊕	ST-333	146	100	80	100	58	88	
	3P+⊕	ST-334	146	100	80	100	58	88	
	3P+N+⊕	ST-335	146	100	80	100	58	88	

Sloping pannel socket									
Type	Code	a	b	c	d	e	f	φg	
16A	2P+⊕	ST-413(-4)	62	68	47	48	36	37	55
	3P+⊕	ST-414	76	86	60	61	47	37	64
	3P+N+⊕	ST-415	76	86	60	61	47	37	72
32A	2P+⊕	ST-423(-4)	80	96	60	70	42	43	75
	3P+⊕	ST-424	80	96	60	70	42	43	75
	3P+N+⊕	ST-425	82	96	60	70	42	47	81

Wall mounted plug				
Type	Code	a	b	Pg
16A	2P+⊕	ST-513	121	76
	3P+⊕	ST-514	124	76
	3P+N+⊕	ST-515	126	79
32A	2P+⊕	ST-523	131	83
	3P+⊕	ST-524	131	83
	3P+N+⊕	ST-525	142	88

STE[®] 三泰电气

工业用插头、插座、耦合器(连接器)



乐清市三泰电气有限公司

YUEQINGSHI STE ELECTRIC CO., LTD.

地址:中国浙江柳市长丰工业区月渡北路

Add:North Rode Yuedu Changfeng industrial Zone,
Liushi, Zhejiang, China

电话:(TEL):0086-577-62752633 62754222

传真:(FAX):0086-577-62756075 邮编:(PC):325604

Http://www.cnSTE.com

E-mail:cnste@cnste.com cnste@mail.wzptt.zj.cn

网络实名:"三泰电气"工业用插头插座"

经销商:

行业最大的电子样本库

插座网本着“行业专注、用心服务”的理念为用户提供电子样本在线翻阅、在线打印、下载等专业化、个性化服务

